

centos6? mysql 5.7?????

MySQL 5.7, CentOS 6. Refactoring MySQL 5.7 on CentOS 6.

MySQL 5.7, CentOS 6, boost 1.5.9, MySQL 5.7.

CentOS 6, MySQL 5.7, boost 1.4, MySQL 5.7, boost 1.5.9, MySQL 5.7.



perplexity AI

1. boost

```
$> wget http://sourceforge.net/projects/boost/files/boost/1.59.0/boost_1_59_0.tar.gz
$> tar -zxvf boost_1_59_0.tar.gz
$> cd boost_1_59_0.
$> ./configure; make; make install
```

2. mysql [] []

```
$> tar -zxvf mysql-5.7.9.tar.gz
$> cd mysql-5.7.9
$> cmake -DCMAKE_INSTALL_PREFIX=/usr/local/mysql -DWITH_EXTRA_CHARSETS=all -
DMYSQL_DATADIR=/usr/local/mysql/var -DENABLED_LOCAL_INFILE=1 -
DWITH_INNOBASE_STORAGE_ENGINE=1 -DMYSQL_UNIX_ADDR=/tmp/mysql.sock -DSYSCONFDIR=/etc -
DDEFAULT_CHARSET=utf8 -DDEFAULT_COLLATION=utf8_general_ci -DWITH_EXTRA_CHARSETS=all -
DMYSQL_TCP_PORT=3306 -DWITH_BOOST=/usr/local/boost/include -DENABLE_DOWNLOADS=off
$> make;make install
```

Revision #4

Created 2022-06-06 15:04:41 KST by artop0420

Updated 2026-03-22 22:23:48 KST by artop0420